



HOFMANN THEATRE LIGHTING INVENTORY

1601 Civic Drive Walnut Creek CA 94596

lesherartscenter.org

<u>INSTRUMENT TYPE</u>	<u>WATTAGE</u>	<u>TOTAL</u>	<u>IN PLOT</u>	<u>SURPLUS</u>
6X9 Strand Leko	1Kw	25	07	18
6X12 Strand Leko	1Kw	58	20	38
6X16 Strand Leko	1Kw	44	14	30
19° ETC Source-4	750w	38	30	08
19° ETC Source-4 + Seachanger CYMG	750w	02	02	00
26° ETC Source-4 + Seachanger CYMG	750w	02	02	00
36° ETC Source-4 + Seachanger CYMG	750w	02	02	00
PAR 64 MFL	1Kw	54	18	36
8" FRESNEL	2Kw	48	36	12
14" SCOOP	1Kw	06	00	06
FAR CYC 3- Cell Colortran	1.5Kw/ cell	08	06	02
FLOOR CYC- 3- Cell Colortran	1Kw/cell cell	08	00	08
Phoebus Ultra Arc II Followspot	400w	02	02	00



HOFMANN THEATRE LIGHTING INVENTORY

1601 Civic Drive Walnut Creek CA 94596

lesherartscenter.org

SUPPLEMENTARY INVENTORY SUPPLIES:

STRAND PATTERN HOLDERS: 15

SOURCE-4 PATTERN HOLDERS: 8

6" TOPHATS: 15

8" TOPHATS: 15

6" BARN DOORS: 20

8" BARN DOORS: 20

CABLE: STAGE PIN CONNECTOR

(Cable lengths are approximate and may be subject to change.)

25 @ 10'

25 @ 20'

08 @ 50'

02 @ 100'

20 @ TWOFER

TOP CYC FRAME SIZE: 15 ½" WIDE x 15" HIGH (1- Sheet per cut)

FLOOR CYC FRAME SIZE: 10 ¼" WIDE x 13 ¾" HIGH

- Lighting Console: Strand Light Palette 520i (500 Intensity channels + 500 Attribute channels)
- 288 Dimmers at 2.4k each
- Designer remote video available at the tech table in the house

*Please get a new lighting inventory each time you design at lesherartscenter.org. Inventory is subject to change without notice.

SUPPLEMENTARY RENTAL INVENTORY:

(Additional rental fees will be applied for requested items)

*Check out our Rental Equipment Inventory at lesherartscenter.org

(Please contact the LCA Production Services Coordinator Toni Kilcoyne at 925.295.1400 for additional information, availability, and scheduling requests.)



HOFMANN THEATRE LIGHTING NOTES

1601 Civic Drive Walnut Creek CA 94596

lesherartscenter.org

Special Notes to the Lighting Designer

Welcome to the Leshar Center for the Arts. This sheet is intended to make your upcoming tech week (or day) run as smoothly as possible.

1. The Leshar Center for the Arts maintains a permanent house plot, which may not be altered. We invite you to use the house plot as a foundation to build on as it includes many of the basic washes you may use. House plot units must remain in their hung positions as circuited and as focused.
2. The lighting console, remote focus unit and follow spots, if used, must be operated by Center staff and the crew used for the hang must consist of Center approved workers. In order to approve someone not already on our list, please contact the Production Services Coordinator Toni Kilcoyne at 925-295-1400.
3. The sooner your design gets to us and we are able to check it the better. Your contract requires that all information (plot, instrument schedule, rental requests, etc.) be submitted to the Center no later than four weeks prior to your load-in. If your information is received after the four-week deadline, inventory and rental requests cannot be guaranteed and implementation of your design may be compromised.
4. The grand drape and all doors must be allowed to close without interference from lighting equipment, i.e., instruments, barn doors, cabling. Frequent strikes and restores may be necessary during the run of your show so cable breaks and labels should be used when appropriate.
5. Only stage management and Center operators are permitted in the booth. All other technical staff must have their own ticket to gain access to the house during a performance. If you wish to view any performance from the house (including opening night) you must obtain a ticket from your producer.
6. No food is permitted on stage or in the house including at the tech table.
7. Your producer has been sent a detailed information package concerning every aspect of the Center's operation, including lighting. Each company is issued a packet which includes the light plot, ground plan and this inventory/cover letter. Additional information about our facilities is available at lesherartscenter.org.